



2016/2017 FULL MOTORCYCLE LINEUP





GENUINE ACCESSORIES

Gear & Clothing

Service & Maintenance

Performance Parts

Gift & Collection

Hyosung carries a diverse mix of motorcycle accessories to dress up your bike with some character. From custom windshields, saddlebags, floorboards, and more for your GV250, GV650 Pro, or ST7 cruiser, to slip-on exhausts from Two Brothers Racing, frame sliders, or custom levers for your GT series sportbike, Hyosung has the accessories you need. Hyosung also carries Lucas Oil products, and a variety of other accessories.



CRUISER

ST7 DELUXE



Black



Ultramarine



Red



White

Engine Type : Liquid cooled DOHC 8-valve 90° V-twin
 Displacement : 678.2cc
 Horsepower : 62
 Bore x Stroke : 81.5 x 65
 Compression Ratio : 11.5 : 1
 Fuel System : Fuel injection
 Lubrication : Wet sump
 Clutch : Wet, Multiplate
 Gear : Constant mesh 5-speed
 Final Drive : Belt
 Overall Length : 97.24 inches
 Overall Height : 50.78 inches
 Overall Width : 37.79 inches
 Wheel Base : 66.54 inches
 Seat Height : 26.57 inches
 Brake : Front : 300 mm Semi floating single disc,
 4 pistons caliper
 Rear : 270 mm Single disc, 2 pistons caliper
 Suspension : Front: 41 mm Conventional Telescopic
 Rear : Swing arm with Hydraulic Double shock absorber (Preload adjustable)
 Tire : Front: 120/80 -16 Rear: 170/80 -15
 Fuel Tank Capacity : 17L/4.5 gal.
 Mass (running order) : 538 lbs.
 2-Year Limited Warranty : 1st year parts & labor, 2nd year parts

ST7



Ultramarine



Black



Red



White

Engine Type : Liquid cooled DOHC 8-valve 90° V-twin
 Displacement : 678.2cc
 Horsepower : 62
 Bore x Stroke : 81.5 x 65
 Compression Ratio : 11.5 : 1
 Fuel System : Fuel injection
 Lubrication : Wet sump
 Clutch : Wet, Multiplate
 Gear : Constant mesh 5-speed
 Final Drive : Belt
 Overall Length : 97.24 inches
 Overall Height : 44.68 inches
 Overall Width : 37.79 inches
 Wheel Base : 66.54 inches
 Seat Height : 26.57 inches
 Brake : Front : 300 mm Semi floating single disc,
 4 pistons caliper
 Rear : 270 mm Single disc, 2 pistons caliper
 Suspension : Front: 41 mm Conventional Telescopic
 Rear : Swing arm with Hydraulic Double shock absorber (Preload adjustable)
 Tire : Front: 120/80 -16 Rear: 170/80 -15
 Fuel Tank Capacity : 17L/4.5 gal.
 Mass (running order) : 538 lbs.
 2-Year Limited Warranty : 1st year parts & labor, 2nd year parts

GV650P



Red



Ultramarine



Black

Engine Type : Liquid cooled DOHC 8-valve 90° V-twin
 Displacement : 647cc
 Horsepower : 73
 Bore x Stroke : 81.5 x 62
 Compression Ratio : 11.5 : 1
 Fuel System : Fuel injection
 Lubrication : Wet sump
 Clutch : Wet, Multiplate
 Gear : Constant mesh 5-speed
 Final Drive : Belt
 Overall Length : 91.73 inches
 Overall Height : 45.28 inches
 Overall Width : 33.07 inches
 Wheel Base : 66.93 inches
 Seat Height : 27.17 inches
 Brake : Front: 300 mm Semi floating double discs,
 2 pistons calipers Rear: 270 mm Single disc, 2 pistons caliper
 Suspension : Front: 41 mm Upside down Telescopic
 (Compression, Rebound damping adjustable)
 Rear : Swing arm with Hydraulic Double shock absorber (Preload adjustable)
 Tire : Front: 120/70 ZR-18 Rear: 180/55 ZR-17
 Fuel Tank Capacity : 16L/4.2 gal.
 Mass (running order) : 512 lbs.
 2-Year Limited Warranty : 1st year parts & labor, 2nd year parts

GV250



Black



Red



Blue

Engine Type : Air/Oil cooled DOHC 8-valve 75° V-twin
 Displacement : 249cc
 Horsepower : 25
 Bore x Stroke : 57 x 48.8
 Compression Ratio : 10.3 : 1
 Fuel System : Fuel injection
 Lubrication : Wet sump
 Clutch : Wet, Multiplate
 Gear : Constant mesh 5-speed
 Final Drive : Chain
 Overall Length : 89.84 inches
 Overall Height : 43.15 inches
 Overall Width : 34.45 inches
 Wheel Base : 59.65 inches
 Seat Height : 27.95 inches
 Brake : Front: Single disc, 2 pistons caliper
 Rear: Drum
 Suspension : Front: Conventional Telescopic Rear: Swing arm with Hydraulic
 Double shock absorber (Preload adjustable)
 Tire : Front: 110/90 -16 Rear: 150/80 -15
 Fuel Tank Capacity : 14L/3.7 gal.
 Mass (running order) : 388 lbs.
 2-Year Limited Warranty : 1st year parts & labor, 2nd year parts

SPORTS

GT650R



Red-Titanium



Black-Titanium



White-Titanium



Black



Red



White

Engine Type : Liquid cooled DOHC 8-valve 90° V-twin
 Displacement : 647cc
 Horsepower : 73
 Bore x Stroke : 81.5 x 62
 Compression Ratio : 11.5 : 1
 Fuel System : Fuel injection
 Lubrication : Wet sump
 Clutch : Wet, Multiplate
 Gear : Constant mesh 6-speed
 Final Drive : Chain
 Overall Length : 82.28 inches
 Overall Height : 44.68 inches
 Overall Width : 27.56 inches
 Wheel Base : 56.50 inches
 Seat Height : 32.68 inches
 Brake : Front: 300 mm Semi Floating double discs, 4 pistons calipers
 Rear: 230 mm Single disc, 2 pistons caliper
 Suspension : Front: 41 mm Upside down Telescopic (Compression, Rebound damping adjustable) Rear: Swing arm with Progressive linkage Hydraulic Mono shock absorber (Preload adjustable)
 Tire : Front: 120/60 ZR-17 Rear: 160/60 ZR-17
 Fuel Tank Capacity : 17L/4.5 gal.
 Mass (running order) : 474 lbs
 2-Year Limited Warranty : 1st year parts & labor, 2nd year parts

GT250R



White-Titanium



Black-Titanium



Red-Titanium



Black



Red



White

Engine Type : Air/Oil cooled DOHC 8-valve 75° V-twin
 Displacement : 249cc
 Horsepower : 27
 Bore x Stroke : 57 x 48.8
 Compression Ratio : 10.2 : 1
 Fuel System : Fuel injection
 Lubrication : Wet sump
 Clutch : Wet, Multiplate
 Gear : Constant mesh 5-speed
 Final Drive : Chain
 Overall Length : 82.28 inches
 Overall Height : 44.49 inches
 Overall Width : 27.56 inches
 Wheel Base : 56.50 inches
 Seat Height : 32.68 inches
 Brake : Front: 300 mm Semi floating double discs, 2 pistons calipers
 Rear: 230 mm Single disc, 2 pistons caliper
 Suspension : Front: 41 mm Upside down Telescopic Rear: Swing arm with Progressive linkage Hydraulic Mono shock absorber (Preload adjustable)
 Tire : Front: 110/70 -17 Rear: 150/70 -17
 Fuel Tank Capacity : 17L/4.5 gal.
 Mass (running order) : 415 lbs.
 2-Year Limited Warranty : 1st year parts & labor, 2nd year parts

GD250R



White



Black



Gray

Engine Type : Liquid cooled DOHC 4-valve Single cylinder
 Displacement : 249cc
 Horsepower : 28
 Bore x Stroke : 73 x 59.6
 Compression Ratio : 12 : 1
 Fuel System : Fuel injection
 Lubrication : Wet sump
 Clutch : Wet, Multiplate
 Gear : Constant mesh 6-speed
 Final Drive : Chain
 Overall Length : 76.25 inches
 Overall Height : 43.30 inches
 Overall Width : 27.55 inches
 Wheel Base : 52.99 inches
 Seat Height : 31.88 inches
 Brake : Front: 300mm Petal shaped spoke mounted single disc, 4 opposed pistons caliper, Stainless mesh hose Rear : 270 mm Single disc, 2 pistons caliper
 Suspension : Front: 37mm Upside down Telescopic
 Rear : Dual side Aluminum Swing arm with Gas charged Hydraulic shock absorber (Nonstep Preload adjustable)
 Tire : Front: 110/70 R17 54S Rear : 150/60 R17 66S
 Fuel Tank Capacity : 11L/2.9 gal.
 Mass (running order) : 352 lbs.
 2-Year Limited Warranty : 1st year parts & labor, 2nd year parts



GT650R



GT250R



GD250R

STREET

GT650P



White



Black



Red

Engine Type : Liquid cooled DOHC 8-valve 90° V-twin
 Displacement : 647cc
 Horsepower : 73
 Bore x Stroke : 81.5 x 62
 Compression Ratio : 11.5 : 1
 Fuel System : Fuel injection
 Lubrication : Wet sump
 Clutch : Wet, Multiplate
 Gear : Constant mesh 6-speed
 Final Drive : Chain
 Overall Length : 82.28 inches
 Overall Height : 43.31 inches
 Overall Width : 30.90 inches
 Wheel Base : 56.50 inches
 Seat Height : 32.68 inches
 Brake : Front : 300 mm Semi Floating double discs, 4 pistons calipers Rear: 230 mm Single disc, 2 pistons caliper
 Suspension : Front: 41 mm Upside down Telescopic (Compression, Rebound damping adjustable) Rear: Swing arm with Progressive linkage Hydraulic Mono shock absorber (Preload adjustable)
 Tire : Front: 120/60 ZR-17 Rear: 160/60 ZR-17
 Fuel Tank Capacity : 17L/4.5 gal.
 Mass (running order) : 459 lbs.
 2-Year Limited Warranty : 1st year parts & labor, 2nd year parts

GT250P



Red



Black



White

Engine Type : Air/Oil cooled DOHC 8-valve 75° V-twin
 Displacement : 249cc
 Horsepower : 27
 Bore x Stroke : 57 x 48.8
 Compression Ratio : 10.2 : 1
 Fuel System : Fuel injection
 Lubrication : Wet sump
 Clutch : Wet, Multiplate
 Gear : Constant mesh 5-speed
 Final Drive : Chain
 Overall Length : 82.28 inches
 Overall Height : 43.31 inches
 Overall Width : 30.71 inches
 Wheel Base : 56.50 inches
 Seat Height : 32.68 inches
 Brake : Front: 300 mm Semi floating single disc, 2 pistons caliper
 Rear: 230 mm Single disc, 2 pistons caliper
 Suspension : Front: 41 mm Upside down Telescopic
 Rear: Swing arm with Progressive linkage Hydraulic Mono shock absorber (Preload adjustable)
 Tire : Front: 110/70-17 Rear: 150/70-17
 Fuel Tank Capacity : 17L/4.5 gal.
 Mass (running order) : 375 lbs.
 2-Year Limited Warranty : 1st year parts & labor, 2nd year parts

GD250N

EXIV



Red



White



Black

Engine Type : Liquid cooled DOHC 4-valve Single cylinder
 Displacement : 249cc
 Horsepower : 28
 Bore x Stroke : 73 x 59.6
 Compression Ratio : 12 : 1
 Fuel System : Fuel injection
 Lubrication : Wet sump
 Clutch : Wet, Multiplate
 Gear : Constant mesh 6-speed
 Final Drive : Chain
 Overall Length : 76.25 inches
 Overall Height : 41.53 inches
 Overall Width : 31.49 inches
 Wheel Base : 52.99 inches
 Seat Height : 31.10 inches
 Brake : Front : 300mm Petal shaped spoke mounted single disc, 4 opposed pistons caliper, Stainless mesh hose Rear : 270 mm Single disc, 2 pistons caliper
 Suspension : Front: 37mm Upside down Telescopic
 Rear: Dual side Aluminum Swing arm with Gas charged Hydraulic shock absorber (Nonstep Preload adjustable)
 Tire : Front : 110/70 R17 54S Rear : 150/60 R17 66S
 Fuel Tank Capacity : 11L/2.9 gal.
 Mass (running order) : 341 lbs.
 2-Year Limited Warranty : 1st year parts & labor, 2nd year parts



GT650P



GT250P



GD250N



ST7 DELUXE



GT650R



GT650P



ST7



GT250R



GT250P



GV650P



GD250R



GD250N



GV250


 **HYOSUNG**



GV300

Hyosung by KR Motors

60 Distributors in Network



KRM America, LLC.

Address 5815 Brook Hollow Parkway, Suite C
Norcross, Georgia 30071

Toll Free 866-440-5571 Office 770-447-5571

Fax 770-447-5528 sales@krmamerica.com

Please visit www.krmamerica.com and hyosungmotorsusa.com,
to learn more about our products.

In Canada, visit www.krmamerica.ca.